• III CARISA designer radiators





The World is changing, also heating technology...

We live in a world where adding value is crucial and increasingly difficult to achieve. Value can be added if you or what you possess contains elements of unrivalled aspiration.

Design and technology are two important tools for gaining such additional value. In life and in business, building competitive advantage in our increasingly fast moving, information rich world of global access is not easy and technology alone is not always sufficient. Today's leaders have gone beyond using technology for its own sake and instead have simplified how we deliver the technology to consumers in a desirable and easy to use format.

Design led businesses use design to create distance between themselves and their competitors. This gives their customers compelling reasons to purchase their products and as such businesses cannot stand still. They constantly strive to find better ways to deliver knowing this leadership is their competitive advantage.

At Carisa we are constantly striving to deliver unique designs using cutting edge technology and new materials. Carisa is a UK brand distributed by Carisa Radiators Ltd that utilises innovation and design to drive the heating market. Carisa is created by our experienced research and development team who have led the heating market for over 45 years. All Carisa products are designed, manufactured and 100% built by our own people in our own factories in Istanbul.

Carisa are proud to announce the launch of Carisa Russia. We now have a class leading showroom and distribution business based in the centre of Moscow. Take a look at www.carisa.ru

The Carisa range of Designer radiators, towel rails and accessories combine the latest trends and technological ideas to deliver beautiful, functional and desirable pieces of art for your home. Our products adorn homes, hotels and other commercial and architectural projects around the world. Carisa offers an unrivalled range in terms of sizes, design and colour optional and along with our bespoke product service offers you the customer truly endless options.

Choose the best in life.....Choose CARISA.

45 Years of Innovation















As it is 70 % lighter than mild steel it helps reduce unnecessary inside as well as the outside. weight on none structural walls.

HIGH PRESSURE CAPACITY

water pressures beyond those normally encountered in the to stand the test of time. UK and Europe.

SMOOTH SURFACE

The trio paint technology and anodised coating of our products discolour. Simple cleaning is all that is required. have longevity and are easy to clean and maintain.

UNIQUE DESIGN

Our designs speak for themselves. They achieve, style and grace in any situation.

COLOUR OPTIONS

Available in many different colour options, anodised and even a rest assured you are making an ethical and durable choice. range of wooden wrap finishes.

CONSTRUCTION

The combination of exciting extruded shapes together with our jointing system guarantees a long life span.

CUSTOM OPTIONS

Don't limit yourself to our already extraordinary range of sizes and shapes. We can manufacture sizes from 200mm to 3000mm high and up to 3000mm wide delivering a truly bespoke service.

CUSTOM CONNECTIONS

ease of installation. We also offer a fully customised service products. for those difficult situations.

ENVIRONMENTALLY FRIENDLY

100% recyclable and low water content means lower energy costs and up to 26% greater performance than a comparable steel radiator

HIGH QUALITY







WHY CHOOSE CARISA ALUMINIUM DESIGN RADIATORS? WHY CARISA STAINLESS STEEL DESIGNER RADIATORS?

Weight, high thermal conductivity and longevity of service are just. The worlds best radiator designers use world class materials and a few things that makes Carisa aluminium products a must. there are few better materials than stainless steel. The knowledge that your radiator is protected from defects and corrosion together with our longer product guarantees leaves you feeling warm on the

Whether the material is highly polished mirror like surface or brush treated, Stainless Steel radiators offer the best of both worlds. Due to our manufacturing techniques they are safe to use under Beautiful modern design combined with the fortitude and quality

> Our range of towel warmers and radiators are all made from 100% Stainless Steel. There is no additional finish to corrode, flake or

> Our Stainless Steel in made from 90% recycled material and the product itself is 100% recyclable.

> Carisa's range of products are finished to the highest standard and will last a life time. We use only 304 grade Stainless Steel with 316 welds. Manufactured in a totally hygenic environment, you can

> Carisa's design team has created a broad yet unique range of products, which are sure to enhance any interior.

> Only the highest grade solid Stainless Steel is used by Carisa Designer Radiators. All joints are welded using advanced 'TIG' welding technology and Argon gas to avoid leakage. All Carisa products are tested to at least 13 bars of pressure and a pickling passivation process is applied to all products following the welding process.

All radiators are hand made by skilled Artisans and each process is We build our products with multiple pipe connection options for carefully quality controlled ensuring you receive only the very best

> Carisa has been manufacturing Stainless Steel radiators for almost 20 years.

WHY FLAT STEEL DESIGNER RADIATORS?

Carisa keeps on innovating! Our striking new ultra slim steel panel radiators are special in many ways.

They are only 7mm thick but still perform beyond expectations.

They feature 50mm central connections ideal for separate valves or the monoblock valves which are becoming more popular.

A range of towel bar accessories are available to 'upgrade' you to a multifunctional product.

Countless colour options available.*

Can be manufactured in Stainless Steel which gives you the option of a mirror polished finish or a matt brushed finish.*

Options available at an extra cost. Please contact us for a full quotation.



PRODUCT MATERIAL PRODUCT TECHNICAL PRODUCT MATERIAL PRODUCT TECHNICAL PAGE PAGE PAGE

DESIGNER RADIATORS

WAVE


BATHROOM & KITCHEN RADIATORS

Aluminium

DESIGNER RADIATORS				BATHROOM & F
BURANO	Aluminium	49	183	AJAX I-II
BURANO C	Aluminium	50	183	ALYA BATH
BURANO S	Aluminium	51	184	BARON
CURVY	Aluminium	52-53	184	CURVY BATH
DUNE	Aluminium	43	180	ELLIPTIC BATH
ELITE	Aluminium	25	172	ELVINO BATH
ELLIPTIC	Aluminium	22	171	ELVINO BATH MIRROR
ELVINO	Aluminium	34-35	176	FAME
ELVINO FLOOR	Aluminium	35	177	FAME HORIZONTAL
FORCE	Aluminium	44	181	FRAME
GAIA	Aluminium	30	175	JACOBS F
KARO	Aluminium	07	163	JACOBS W
MACK	Aluminium	23	171	LARA
MAGICO	Aluminium	46-47	182	MACK BATH
MONZA	Aluminium	14-15	168	MACK BATH HORIZONTAL
MONZA DOUBLE	Aluminium	18	169	MAYA
MONZA DOUBLE XL	Aluminium	19	169	NINOVA BATH
MOSCOW	Aluminium	41	179	NIXIE BATH
MOSCOW C	Aluminium	39	178	PAPILLION BATH
MOSCOW D	Aluminium	40	179	SOHO
MOTION	Aluminium	38	178	TERRA
NEMO	Aluminium	16-17	168	UNICO
NEMO DOUBLE	Aluminium	20	170	
NEMO DOUBLE XL	Aluminium	21	170	
NIXIE	Aluminium	28	174	
OTTO	Aluminium	29	174	
PIPETTE PLAY	Aluminium	48	182	
QUADRO	Aluminium Aluminium	24	172	
RHOMBUS	Aluminium	04 05	162 162	
SKULLY	Aluminium	36-37	177	
SLIM	Aluminium	42	180	
SOPHIA	Aluminium	12	166	
SOPHIA MIRROR	Aluminium	12	167	
SOPHIA XL	Aluminium	13	167	
SPADA	Aluminium	45	181	
STEP	Aluminium	26-27	173	
STEP MIRROR	Aluminium	26	173	
TALLIS	Aluminium	10-11	165	
TALLIS DOUBLE	Aluminium	08-09	164	
TALLIS DOUBLE XL	Aluminium	09	164	
TALLIS MIRROR	Aluminium	10	165	
TALLIS XL	Aluminium	11	166	
TUBO	Aluminium	06	163	
VESTA	Aluminium	31	175	

Aluminium

32-33





Aluminium Designer Radiators


Bathroom & Kitchen Radiators

Pages 04 - 81


```
QUADRO
                          28
                                   NIXIE
                                                   56
                                                           ELVINO BATH
        RHOMBUS
                          29
                                                   57
5
                                   OTTO
                                                           ELVINO BATH MIRROR
        TUBO
                          30
                                   GAIA
                                                  58
                                                           NIXIE BATH
6
                                                           ELLIPTIC BATH
7
        KARO
                          31
                                   VESTA
                                                  59
        TALLIS DOUBLE
                          32-33 - WAVE
                                                          FAME
8
                                                  60 -
                         34
35
        TALLIS DOUBLE XL
                                - ELVINO
                                                  61
                                                           FAME HORIZONTAL
9
10
        TALLIS
                                - ELVINO FLOOR 62 -
                                                          FRAME
        TALLIS MIRROR
                          36-37 -
                                                 63 -
                                                           MAYA
10
                                  SKULLY
        TALLIS XL
                                   MOTION
                                                   64 -
                                                           UNICO
11
                          39
40
        SOPHIA
                                   MOSCOW C
                                                   65 -
                                                           TERRA
                                   MOSCOW D
        SOPHIA MIRROR
                                                   66
                                                           BARON
        SOPHIA XL
                          41
                                - MOSCOW
                                                           AJAX I-II
13
                                                   67
                          42
43
44
45
14-15 -
                                                   68
                                                          SOHO
        MONZA
                                - SLIM
16-17 -
        NEMO
                                - DUNE
                                                   69 -
                                                          LARA
                                - FORCE
                                                  70 -
18
        MONZA DOUBLE
                                                           CURVY BATH
         MONZA DOUBLE XL
                                                  71
19
                          45
                                  SPADA
                                                           PAPILLION BATH
                                                  72
                          46-47 -
                                   MAGICO
                                                           NINOVA BATH
20
        NEMO DOUBLE
                                                  73 -
74 -
75 -
76 -
                          48
21
         NEMO DOUBLE XL
                                   PIPETTE
                                                           ALYA BATH
22
         ELLIPTIC
                          49
                                   BURANO
                                                           МАСК ВАТН
                          50
51
                                   BURANO C
23
         MACK
                                                           MACK BATH HORIZONTAL
        PLAY
                                   BURANO S
24
                                                           OTTO SINGLE
        ELITE
                          52-53 -
25
                                   CURVY
                                                           VESTA SINGLE
26-27 -
                                   JACOBS F
                                                   78-79 -
                                                           NOTUS Z-ZS
         STEP
                          54
        STEP MIRROR
                          55
                                  JACOBS W
                                                   80-81 -
                                                          NOTUS VS-V
```







TUBO

















Tallis is available in a variety of options: single or double profiles for greater warmth and horizontal or vertical to maximise space. You can even choose your colour too!



















































SKULLY






































JACOBS F



NEW

185
















FRAME



NEW

188










IXALA

IIXALA


















MACK BATH





NEW

194





OTTO SINGLE







GRATUS









NOTUSV

■ Remote Control



Stock Colours & Finishes

In our specification pages the colours are identified by the use of abbreviated codes. Please see below for full details.

Please note that all special order items are subject to a 20% surcharge above the standard retail price with a lead time of 4-6 weeks. An approximate delivery date will be provided when placing an order.

Material Type

S - Mild Steel
FS - Flat Steel
SS - Stainless Steel
A - Aluminium

Delta T (AT) Correction Factors

CODE	COLOUR KEY CHART	TYPE	Delta T	Correction Factor
TXW	RAL 9016 TEXTURED WHITE	A/FS	75°	1.09
TXB	RAL 9005 TEXTURED BLACK	A/FS	70°	1.00
	RAL 7016 TEXTURED ANHTRACITE	5	65°	0.91
TXA		A/FS	60°	0.82
TXC	RAL 1013 TEXTURED CHAMPAGNE	A/FS	55°	0.73
TXG	TEXTURED DARK GREY	A/FS	50°	0.65
TXLG	TEXTURED LIGHT GREY	A/FS	45°	0.56
TXL	RAL 1019 TEXTURED LATTE	A/FS	40°	0.48
TXR	RAL 3002 TEXTURED RED	A/FS	35°	0.41
W	RAL 9016 TRAFFIC WHITE	A/FS	30°	0.33
MAT	MATT ANODISED	Α		
PLS	POLISHED ANODISED	Α	All heat outputs are show	n in this brochure are ΔT 70 C in
woo	WOOD	Α	•	I dimensions are given as indication
GLD	GOLD	S		form to European Ecodesign Direc-
CHR	CHROME PLATED	S	tive (2009/125/EC) Lot 20)
MATC	RAL 8029 MATT COPPER	S	To calculate the guoted o	utputs into any other ΔT is very
MRP	MIRROR POLISHED	SS	simple:	,
STP	SATIN POLISHED	SS	***************************************	

Take the quoted output (n) and divide by 1.55 (n2) this will give you the output with a correction factor of 1. Now simply multiply (n2) by the correction factor for your chosen ΔT .

Our Product Range

All our radiators are produced and outputs measured in accordance with European standard EN 442. When commissioning the radiator on an indirect/closed system we recommend using a suitable mixed metal inhibitor in suitable quantities to protect against scale and corrosion. Failure to use appropriate and adequate inhibitor will void any warranty offered or implied. We reserve the right to have water samples independently conducted under certain circumstances.

Product Codes Noting

Please take care when using codes to order products. Should you need any help please give our team a call, we love to help. Errors with codes can delay deliveries or result in the wrong product being dispatched.

Single Or Double Radiators

Using "Double models" maximises heat output within the same wall space. Our Tallis, Nemo and Monza models are available in single or double versions.

Horizontal & Vertical Models

Most of our designs are available in horizontal or vertical options which means you can maximise the use of ceiling heights and long low spaces, without losing heat output. Bespoke Products shown in the catalogue (made to order) are available for most of our range with 4-6 weeks.

We recommend you choose radiators with a higher heat output than is required as you can always turn them down but will deliver additional heat capacity in the cooler months.

Deliveries

Planned delivery times are shown at the top of each individual product page. We will confirm the expected delivery date on our order acknowledgment at the time of order. Deliveries will be made to the nearest hard standing area.



Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation 5 Years

Vertical

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	п	:: VX:-	n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
QUA 0280161003	1610	280	3	50-370	30-50	67-87	10,4	1,5	С	1041	3553
QUA 0470180005	1800	470	5	50-560	30-50	67-87	15,6	2,5	С	1911	6520

Please add finishing code at the end of the product code

Code example: QUA 0280161003 TXW

Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.


Please ask for details.


n = number of sections

Max. working pressure Max. working temperature 10 bar 95 °C

Connections

1/2"







RHOMBUS

Cast Aluminium With Copper Tubes Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat (Outputs
v.	1000	5.70		C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
RHO 1260042002	420	1260	2	1110	49	76	28,4	1,2	С	1470	5013
RHO 1890042003	420	1890	3	1740	49	76	42,6	1,8	С	2205	7519
RHO 2520042004	420	2520	4	2370	49	76	56,8	2,4	С	2940	10025
RHO 0840063002	630	840	2	690	49	76	28,4	1,2	С	1470	5013
RHO 1260063003	630	1260	3	1110	49	76	42,6	1,8	С	2205	7519
BHO 1680063004	630	1680	4	1530	49	76	56.8	2 4	C	2940	10025

Please add finishing code at the end of the product code at the end of the product code



420 x 1260 mm, 2 Elements



420 x 1890 mm, 3 Elements



420 x 2520 mm, 4 Elements



630 x 840 mm, 2 Elements



630 x 1260 mm, 3 Elements



630 x 1680 mm, 4 Elements

Fuel type i.e C: Central Heating

E: Electrical Heating D: Dual Heating (C+E)


Multiple Rhombus radiators can be installed in an adjoint combination.

n = number of sections

Max. working pressure Max. working temperature Connections

10 bar 95 °C 1/2"

For max. efficiency please order min. 2 pieces.





Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	JEL I	٧٧	n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
TBO 0290180006	1800	290	6	380	95	165	27,6	2.0	С	2081	7100
TBO 0340180007	1800	340	7	430	95	165	32,1	2,3	С	2428	8284
TBO 0390180008	1800	390	8	480	95	165	36,7	2,7	С	2775	9467
TBO 0590060012	600	590	12	680	95	165	18,4	1,3	С	1387	4734
TBO 0790060016	600	790	16	880	95	165	28.6	2,1	С	1850	6311
								-			

Please add finishing code at the end of the product code

Code example: TBO 0390180008 TXW

Fuel type i.e

C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 50) - 10 mm

n = number of sections

Working pressure (max.)

Working temperature (max.)

10 bar 95 °C

Connections

1/2"

Section width

40 mm

Section depth

140 mm

Pipe center

C1 = W + 90 mm





Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	2227	3570	30.	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
KAR 0290180006	1800	290	6	380	95	165	29,0	2,0	С	2190	7474
KAR 0340180007	1800	340	7	430	95	165	33,8	2,3	С	2556	8720
KAR 0390180008	1800	390	8	480	95	165	38,7	2,7	С	2921	9965
KAR 0590060012	600	590	12	680	95	165	19,3	1,3	С	1460	4983
KAR 0790060016	600	790	16	880	95	165	30,1	2.1	С	1947	6644

Please add finishing code at the end of the product code

Code example: KAR 0390180008 TXW

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available. Please ask for details.

Radiator width for made

(n x 50) - 10 mm to order sizes


n = number of sections


Working pressure (max.) 10 bar


Working temperature (max.) 95 °C Connections 1/2"

Section width 40 mm Section depth 140 mm

Pipe center C1 = W + 90 mm











Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical Horizontal

(n x 60) -10mm

10 bar

95 °C

50 mm

76 mm

1/2"

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			(1)	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
TLD 0350180006	1800	350	6	440	55	93	15.7	2.2	С	2168	7398
TLD 0470180008	1800	470	8	560	55	93	20.9	2.9	С	2892	9868
TLD 0710060012	600	710	12	800	55	93	11.3	1.8	С	1971	6727
TLD 0950060016	600	950	16	1040	55	93	13.4	2.4	С	2629	8969
TLD 1190060020	600	1190	20	1280	55	93	16.8	3	С	3286	11211
Disease and distables and								F		- F 11	

Please add finishing code at the end of the product code

I

Code example: TLD 0710060012 TXB

Fuel type i.e

C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

n = number of sections

Max. working pressure


Max. working temperature


Connections

Section width

Section depth

Pipe center C1 = W + 90 mm





Material Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161


Guarantee Installation

5 Years Horizontal

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs	
	::63			((1)	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
TXD 1800035006	350	1800	6	1775	55	93	15.7	2.2	С	2168	7398	
TXD 1800047008	470	1800	8	1775	55	93	20.9	2.9	С	2892	9868	

Please add finishing code at the end of the product code

Code example: TXD 1800047008 TXW



Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E) A full range of made to order sizes available.

Please ask for details.

Radiator height for made

to order sizes

n = number of sections

Max. working pressure

Max. working temperature Connections

Section width Section depth Pipe center

(n x 60) -10mm

10 bar

95 °C 1/2" 50 mm

76 mm C1 = W - 25 mm

TALLIS

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
				C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
TLL 0350180006	1800	350	6	440	55	93	11,3	2,0	С	1143	3900
TLL 0470180008	1800	470	8	560	55	93	14,8	2.7	С	1524	5199
TLL 0710060012	600	710	12	800	55	93	9,0	1,5	С	1048	3575
TLL 0950060016	600	950	16	1040	55	93	11,6	2,0	С	1397	4766
TLL 1190060020	600	1190	20	1280	55	93	14,3	2,5	С	1746	5958

Please add finishing code at the end of the product code

Code example: TLL 0710060012 TXB

Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

n = number of sections

Max. working pressure Max. working temperature

Connections

Section width Section depth

Pipe center

51 mm C1 = W + 90 mm


(n x 60) -10mm

10 bar

95 °C

50 mm

1/2"





TALLIS

Material

Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

10 bar

95 °C

1/2"

5 Years Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			67.1	`C1	A (mm)	D (mm)	(kg)	(It)		Watts	BTU
TAM 0550180008	1800	550	8	640	55	80	14,9	3,6	С	2892	9868

Please add finishing code at the end of the product code
Code example : TAM 0550180008 TXW

Fuel type i.e C: Central Heating

E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.


Please ask for details.


n = number of sections


Max. working pressure Max. working temperature Connections

50 mm Section width Section depth 51 mm

Pipe center C1 = W + 90 mm









Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Horizontal

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs		
	εп	•••	•••	••••	n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
TXL 1800035006	350	1800	6	1775	55	93	11,3	2.0	С	1143	3900		
TXL 1800047008	470	1800	8	1775	55	93	14.8	2,7	С	1524	5199		

Please add finishing code at the end of the product code

I

Code example: TXL 1800047008 TXB

C: Central Heating Fuel type i.e

E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator height for made

(n x 60) -10mm

to order sizes n = number of sections

Max. working pressure 10 bar 95 °C

Max. working temperature Connections


1/2" 50 mm

Section width Section depth

51 mm

Pipe center

C1 W- 25 mm



W

warmana and a second control of the second c



Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee

5 Years

Installation Vertical Horizontal

PRODUCT CODE Height Width Sections Pipe Wall to pipe Wall Nett Water Fuel **Heat Outputs** (mm) W (mm) Centers Centers Distance Weight Content Туре n (mm) C1 A (mm) D (mm) (ka) (It) Watts BTU SOP 0331180008 1800 331 8 421 55 98 12.4 2.0 C 1600 5459 SOP 0415180010 1800 415 10 505 55 98 15.3 2.7 C 2000 6824 SOP 0499060012 600 499 12 589 55 98 7.5 1.5 C 800 2730 SOP 0667060016 600 667 16 757 55 98 9.6 2.0 C 1067 3640 SOP 0835060020 600 835 55 98 C 1333 20 925 11.8 2.5 4549

Please add finishing code at the end of the product code

Code example: SOP 0331180008 TXW

Fuel type i.e

C: Central Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made to order sizes

(n x 42) - 5 mm

10 bar

95 °C

n = number of sections


Section width


Max. working pressure Max. working temperature Connections

1/5" 27 mm 58 mm

Section depth Pipe center

W + 90 mmC1









Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation

5 Years

Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
				`C1´	A (mm)	D (mm)	(kg)	(It)		Watts	вти
SOM 0415180010	1800	415	10	505	55	102	15.3	2.7	С	2000	6824
Please add finishing code at the end of the product		e example	: SOM 0415	180010 TXW				Fuel type i.e	E: Electri	al Heating ical Heating Heating (C+E)	

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 42) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar

Max. working temperature

95 °C Connections 1/2"

Section width


27 mm

Section depth

58 mm

Pipe center

W + 90 mm C1



SOPHIA

Material Aluminium Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

5 Years Horizontal

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
Anal Secretary	н		n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
SXL 1800033108	331	1800	8	1740	49-69	92-112	12.4	2.0	С	1600	5459
SXL 1800041510	415	1800	10	1740	49-69	92-112	15.3	2.7	C	2000	6824

I

Please add finishing code at the end of the product code

Code example: SXL 1800041510 TXB

Fuel type i.e

C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator height for made

to order sizes

n = number of sections

Max. working pressure

Max. working temperature

Connections

1/2"

10 bar

95 °C


(n x 42) - 5 mm

Section width Section depth


27 mm 58 mm


Pipe center

C1 W - 60 mm



W







Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	utputs
			n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
MNZ 0280180003	1800	280	3	370	30-50	60-80	6.9	1.5	С	986	3364
MNZ 0375180004	1800	375	4	465	30-50	60-80	9.2	2.0	С	1509	5149
MNZ 0470180005	1800	470	5	560	30-50	60-80	11.5	2.5	С	1911	6521
MNZ 0470060005	600	470	5	560	30-50	60-80	4.5	1.0	С	965	3292
MNZ 0660060007	600	660	7	750	30-50	60-80	6.4	1.1	С	1351	4609
MNZ 0850060009	600	850	9	940	30-50	60-80	8.3	1.4	С	1737	5925
MNZ 1040060011	600	1040	11	1130	30-50	60-80	10.1	1.7	С	2122	7241
MNZ 1230060013	600	1230	13	1320	30-50	60-80	11.9	2.1	С	2508	8557
Please add finishing code								Fuel type	ie C. Centr	al Heating	

Please add finishing code at the end of the product code
Code example : MNZ 0375180004 TXB

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.


Radiator width for made

(n x 95) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 90 mm

Section depth 46 mm Pipe center C1 W + 90 mm



NEMO

Material Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			3.00	C1	A (mm)	D (mm)	(kg)	(It)		Watts	BTU
NMO 0280180003	1800	280	3	370	30-50	60-80	6.9	1.5	С	1252	4273
NMO 0375180004	1800	375	4	465	30-50	60-80	9.2	2.0	С	1670	5698
NMO 0470180005	1800	470	5	560	30-50	60-80	11.5	2.5	С	2087	7122
NMO 0470060005	600	470	5	560	30-50	60-80	4.5	0.7	С	846	2886
NMO 0660060007	600	660	7	750	30-50	60-80	6.3	1.1	С	1184	4040
NMO 0850060009	600	850	9	940	30-50	60-80	8.1	1.4	С	1522	5194
NMO 1040060011	600	1040	11	1130	30-50	60-80	9.9	1.7	С	1862	6353
NMO 1230060013	600	1230	13	1320	30-50	60-80	11.8	2.1	С	2200	7507
								2000	THE PER NEW CO.		

Please add finishing code at the end of the product code

Code example: NMO 0375180004 TXL

Fuel type i.e, C: Central heating
E: Electrical heating
D: Dual heating (C+E)

A full range of made to order sizes available. Please ask for details. Radiator width for made

to order sizes


(n x 95) - 5 mm


n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 90 mm

Section depth 46 mm Pipe center C1 W + 90 mm









Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Vertical Horizontal

DOUBLE

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat (Outputs
	***	37.7	n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
MND 0280180003	1800	280	3	370	55	90	10.8	1.1	С	1790	6109
MND 0375180004	1800	375	4	465	55	90	14.4	1.5	С	2387	8146
MND 0470180005	1800	470	5	560	55	90	18.0	1.9	С	2984	10182
MND 0470060005	600	470	5	560	55	90	6.7	0.7	С	1022	3487
MND 0660060007	600	660	7	750	55	90	9.4	1.1	С	1432	4885
MND 0850060009	600	850	9	940	55	90	12.1	1.4	С	1840	6277
MND 1040060011	600	1040	11	1130	55	90	14.9	1.7	С	2249	7675
MND 1230060013	600	1230	13	1320	55	90	17.5	2.1	С	2657	9066
								## 0.00 P.O	OR COLD COMPANIES	A CONTRACT OF THE PARTY OF THE	

Please add finishing code at the end of the product code

Code example: MND 0375180004 TXW

Fuel type i.e C: Central Heating

E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 95) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar 95 °C

Max. working temperature

Connections 1/2"

Section width

90 mm

Section depth

67 mm

Pipe center

C1 W + 90 mm



Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Horizontal

OUBLEXL

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat (Dutputs
	1007.0	****		C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
MXL 1800028003	280	1800	3	1775	76-96	112-132	6.7	0.7	С	1790	6109
MXL 1800037504	375	1800	4	1775	76-96	112-132	9.4	1.1	С	2387	8146
MXL 1800047005	470	1800	5	1775	76-96	112-132	9.4	1.1	С	2984	10182

Please add finishing code at the end of the product code

Code example: MXL 1800037504 TXW

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator height for made

(n x 95) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar

Max. working temperature

95 °C 1/2"

Section width

90 mm


Section depth

67 mm

Pipe center

Connections

W - 25 mm C1





Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical Horizontal

DOUBLE

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	utputs
	Sacis	7325	1755.	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
NMD 0280180003	1800	280	3	370	55	90	10.8	1.1	С	1790	6109
NMD 0375180004	1800	375	4	465	55	90	14.4	1.5	С	2387	8146
NMD 0470180005	1800	470	5	560	55	90	18.0	1.9	С	2984	10182
NMD 0470060005	600	470	5	560	55	90	6.7	0,7	С	1023	3490
NMD 0660060007	600	660	7	750	55	90	9.4	1.1	С	1432	4885
NMD 0850060009	600	850	9	940	55	90	12.1	1.4	С	1840	6277
NMD 1040060011	600	1040	11	1130	55	90	14.9	1.7	С	2249	7675
NMD 1230060013	600	1230	13	1320	55	90	17.5	2.1	С	2657	9066
Please add finishing code at the end of the product		e example	: NMD 0375	180004 TXL				Fuel type i.e	E: Elect	ral heating rical heating heating (C+F)	

E: Electrical heating
D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 95) - 5 mm to order sizes

n = number of sections


Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2"

Section width

90 mm 67 mm

Section depth Pipe center

C1 W + 90 mm





NEMO DOUBLEXL

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation

5 Years Horizontal

Height (mm)	Width (mm)	Sections	Pipe Centers	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
Н	VV	n	C1	A (mm)	D (mm)	(kg)	(It)	54.777	Watts	вти
280	1800	3	1775	76-96	112-132	10.8	1.1	С	1790	6109
375	1800	4	1775	76-96	112-132	14.4	1.5	С	2387	8146
470	1800	5	1775	76-96	112-132	18.0	1.9	С	2984	10182
	(mm) H 280 375	(mm) (mm) H W 280 1800 375 1800	(mm) (mm) n 280 1800 3 375 1800 4	(mm) H (mm) W Centers (mm) C1 280 1800 3 1775 375 1800 4 1775	(mm) H (mm) W Centers (mm) C1 Centers A (mm) 280 1800 3 1775 76-96 375 1800 4 1775 76-96	(mm) H (mm) W Centers (mm) C1 Centers (mm) A (mm) Distance 280 1800 3 1775 76-96 112-132 375 1800 4 1775 76-96 112-132	(mm) H (mm) W Centers (mm) C1 Centers (mm) D (mm) Distance Weight 280 1800 3 1775 76-96 112-132 10.8 375 1800 4 1775 76-96 112-132 14.4	(mm) H (mm) W Centers (mm) C1 Centers (mm) A (mm) Distance (kg) Weight Content (lt) 280 1800 3 1775 76-96 112-132 10.8 1.1 375 1800 4 1775 76-96 112-132 14.4 1.5	(mm) H (mm) W Centers (mm) C1 Centers (mm) A (mm) Distance (mm) (kg) Weight Content (lt) Type 280 1800 3 1775 76-96 112-132 10.8 1.1 C 375 1800 4 1775 76-96 112-132 14.4 1.5 C	(mm) H (mm) W Centers (mm) C1 Centers (mm) A (mm) Distance (kg) Weight Content (lt) Type 280 1800 3 1775 76-96 112-132 10.8 1.1 C 1790 375 1800 4 1775 76-96 112-132 14.4 1.5 C 2387

Please add finishing code at the end of the product code

Code example: NXL 1800037504 TXL

Fuel type i.e. C: Central heating E: Electrical heating D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator height for made

(n x 95) - 5 mm


to order sizes n = number of sections

Max. working pressure

10 bar Max. working temperature 95 °C Connections 1/2" Section width 90 mm

Section depth 67 mm Pipe center C1 W - 25 mm

		4.04.0
-		
9	CI	
-	w	





Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation 5 Years

Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
				C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
ELL 0315180004	1800	315	4	405	30-50	61-81	8.4	1.3	С	1133	3867
ELL 0395180005	1800	395	5	485	30-50	61-81	10.4	1.7	С	1417	4834
ELL 0475180006	1800	475	6	565	30-50	61-81	12.4	2.0	С	1700	5801
ELL 0795060010	600	795	10	885	30-50	61-81	8.2	1.3	С	1124	3836
ELL 0955060012	600	955	12	1045	30-50	61-81	9.8	1.7	С	1349	4603
ELL 1195060015	600	1195	15	1285	30-50	61-81	12.2	2.1	С	1686	5754

Please add finishing code at the end of the product code

Code example: ELL 0315180004 TXW

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 80) - 5 mm

n = number of sections

Max. working pressure Max. working temperature 10 bar 95 °C

Connections


1/2"


Section width Section depth


75 mm 46 mm

Pipe center

C1 W + 90 mm







MACK

Material

Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			200	`C1	A (mm)	D (mm)	(kg)	(It)		Watts	BTU
MAC 0315180004	1800	315	4	405	30-50	74-94	8.2	1.3	С	1201	4099
MAC 0395180005	1800	395	5	485	30-50	74-94	10.1	1.7	С	1502	5123
MAC 0475180006	1800	475	6	565	30-50	74-94	12.1	2.0	С	1802	6148
MAC 0795060010	600	795	10	885	30-50	74-94	8.1	1.3	С	1263	4309
MAC 0955060012	600	955	12	1045	30-50	74-94	9.6	1.7	C	1515	5171
MAC 1195060015	600	1195	15	1285	30-50	74-94	12.0	2.1	С	1894	6463

Please add finishing code at the end of the product code

Code example: MAC 0475180006 TXW

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 80) - 5 mm

n = number of sections

Max. working pressure 10 bar

Max. working temperature

95 °C

Connections


1/5"


Section width


75 mm 28 mm

Section depth Pipe center

C1 W + 90 mm









Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee 5 Years

Installation Vertical Horizontal

1/2"

W + 90 mm

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
				C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
PLY 0185180002	1800	185	2	275	30-50	60-80	4.3	1.0	С	835	2849
PLY 0375180004	1800	375	4	465	30-50	60-80	8.2	2.0	С	1670	5698
PLY 0565060006	600	565	6	655	30-50	60-80	4.7	1.2	С	892	3044
PLY 0755060008	600	755	8	845	30-50	60-80	6.2	2.2	С	1189	4058
PLY 0945060010	600	945	10	1035	30-50	60-80	7.6	3.1	С	1487	5073

Please add finishing code at the end of the product code

I

Code example: PLY 0185180002 TXG

Fuel type i.e, C: Central heating E: Electrical heating D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 95) - 5 mm

n = number of sections

Max. working pressure

10 bar 95 °C

Max. working temperature

Connections

Section width 90 mm 46 mm

Section depth Pipe center

C1

ELITE

Material

Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee


Installation Vertical 5 Years Horizontal

C1

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	7.84		n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
ELT 0295180004	1800	295	4	385	60-80	80-100	8.0	1.3	С	832	2838
ELT 0370180005	1800	370	5	460	60-80	80-100	9.8	1.7	С	1040	3547
ELT 0445180006	1800	445	6	535	60-80	80-100	11.5	2.0	С	1247	4256
ELT 0595060008	600	595	8	685	60-80	80-100	6.6	1.0	С	752	2564
ELT 0745060010	600	745	10	835	60-80	80-100	8.0	1.2	С	939	3205
ELT 0895060012	600	895	12	985	60-80	80-100	9.4	1.5	С	1127	3846
ELT 1045060014	600	1045	14	1135	60-80	80-100	10.8	1.7	С	1315	4487
ELT 1195060016	600	1195	16	1285	60-80	80-100	12.2	2.0	С	1503	5129

Please add finishing code

Code example : ELT 0295180004 W



Fuel type i.e. C: Central heating
E: Electrical heating
D: Dual heating (C+E)

35 mm

W + 90 mm

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 75) - 5 mm to order sizes

n = number of sections

Pipe center

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 75 mm Section depth

STEP

Material Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	18.81	(8)	.0	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
STP 0280180003	1800	280	3	370	30-50	60-80	7.1	1.6	С	1252	4273
STP 0375180004	1800	375	4	465	30-50	60-80	9.2	2.1	С	1670	5698
STP 0470180005	1800	470	5	560	30-50	60-80	11.2	1.7	С	2087	7122
STP 0470060005	600	470	5	560	30-50	60-80	5.0	0.8	С	746	2546
STP 0660060007	600	660	7	750	30-50	60-80	6.7	1.1	С	1044	3564
STP 0850060009	600	850	9	940	30-50	60-80	8.4	1.4	С	1343	4582
STP 1040060011	600	1040	11	1130	30-50	60-80	10.1	1.7	С	1641	5600
STP 1230060013	600	1230	13	1320	30-50	60-80	11.7	2.1	С	1940	6618

Please add finishing code at the end of the product code

Code example: STP 0280180003 TXW

C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 95) - 5 mm to order sizes


n = number of sections


Max. working pressure

Max. working temperature 95 °C Connections 1/2"

Section width 90 mm Section depth 46 mm

Pipe center C1 W + 90 mm







Material

PLS SEE COLOUR KEY CHART, PAGE 161 Aluminium

Stock Finishes

Guarantee Installation

10 bar

Vertical 5 Years

MIRROR

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	11			C1	A (mm)	D (mm)	(kg)	(It)		Watts	BTU
STM 0375180004	1800	375	4	465	30-50	60-80	11.5	1.5	С	1397	4766
STM 0470180005	1800	470	5	560	30-50	60-80	13.5	1.9	С	1746	5958

Please add finishing code at the end of the product code

Code example: STM 0375180004 PLS

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made


(n x 95) - 5 mm to order sizes


n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections

1/2" Section width 90 mm Section depth 50 mm

Pipe center C1 W + 90 mm









Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee 5 Years

Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			7,555	`C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
NIX 0205180002	1800	205	2	295	30-50	105-125	9.7	1.3	С	905	3087
NIX 0415180004	1800	415	4	505	30-50	105-125	19.0	2.6	С	1817	6201
NIX 0625060006	600	625	6	715	30-50	105-125	10.6	1.3	С	900	3071
NIX 0835060008	600	835	8	925	30-50	105-125	14.1	1.7	С	1206	4116
NIX 1045060010	600	1045	10	1135	30-50	105-125	17.5	2.1	С	1508	5145
NIX 1255060012	600	1255	12	1345	30-50	105-125	21.0	2.5	С	1810	6174

Please add finishing code at the end of the product code

Code example: NIX 0205180002 TXW

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.


Radiator width for made

(n x 105) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 100 mm

Section depth 90 mm Pipe center C1 W + 90 mm









Material	Stock Finis
Aluminium	PLS SEE COLO

shes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation

5 Years

Vertical Horizontal

(n x 80) - 5 mm

C1

10 bar

95 °C

W + 90 mm

1/2"

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	utputs
			0.00	`C1′	A (mm)	D (mm)	(kg)	(It)		Watts	вти
OTT 0315180004	1800	315	4	405	30-50	115-135	19.1	2.5	С	1777	6064
OTT 0395180005	1800	395	5	485	30-50	115-135	23.9	3.2	С	2221	7580
OTT 0475180006	1800	475	6	565	30-50	115-135	28.6	3.8	С	2666	9096
OTT 0795060010	600	795	10	885	30-50	115-135	15.9	2.1	С	1481	5053
OTT 0955060012	600	955	12	1045	30-50	115-135	19.1	2.5	С	1777	6064

Please add finishing code at the end of the product code

Code example: OTT 0395180005 TXW

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.


Radiator width for made

to order sizes n = number of sections

Max. working pressure

Max. working temperature Connections

Section width 70 mm Section depth 100 mm Pipe center











Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm)	Width (mm)	Sections	Pipe Centers	Wall to pipe Centers	Wall Distance	Nett	Water Content	Fuel Type	Heat O	utputs
	Н	w	n	(mm) C1	A (mm)	D (mm)	(kg)	(It)	Турс	Watts	вти
GAI 0355180004	1800	355	4	445	30-50	105-125	18.0	2.5	С	1638	5589
GAI 0430180005	1800	430	5	520	30-50	105-125	22.2	3.2	С	2048	6987
GAI 0505180006	1800	505	6	595	30-50	105-125	26.4	3.8	С	2457	8384
GAI 0730060009	600	730	9	820	30-50	105-125	14.3	1.9	С	1229	4192
GAI 0880060011	600	880	11	970	30-50	105-125	17.3	2.3	С	1502	5124
GAI 1030060013	600	1030	13	1120	30-50	105-125	20.4	2.7	С	1775	6055

Please add finishing code at the end of the product code

Code example: GAI 0505180006 TXW

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

n = number of sections

Max. working pressure

Max. working temperature

Connections

Section width

Section depth

90 mm

70 & 100 mm

((n - 2)x75)+ 205 mm

10 bar

95 °C

1/2"

Pipe center

C1 W + 90 mm







VESTA

Material

Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Vertical Horizontal


10 bar

1/2"

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
9	0.001	7,5100		`C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
VES 0295180004	1800	295	4	385	30-50	105-125	17.0	2.5	С	1919	6549
VES 0370180005	1800	370	5	460	30-50	105-125	21.2	3.2	С	2399	8186
VES 0445180006	1800	445	6	535	30-50	105-125	25.4	3.8	С	2879	9823
VES 0745060010	600	745	10	835	30-50	105-125	15.4	2.1	С	1599	5457
VES 0895060012	600	895	12	985	30-50	105-125	18.4	2.5	С	1919	6549
VES 1045060014	600	1045	14	1135	30-50	105-125	21.4	2.9	С	2239	7640

Please add finishing code at the end of the product code

Code example: VES 0295180004 TXW







Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 75) - 5 mm

n = number of sections

Max. working pressure

Max. working temperature 95 °C Connections

Section width 70 mm Section depth 90 mm

Pipe center W + 90 mm





Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee 5 Years

Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			398	`C1´	A (mm)	D (mm)	(kg)	(It)		Watts	вти
WAV 0370180003	1800	370	3	460	30-50	85-105	13.9	1.4	С	1286	4389
WAV 0495180004	1800	495	4	585	30-50	85-105	18.5	1.9	С	1715	5851
WAV 0745060006	600	745	6	835	30-50	85-105	9.3	0.9	С	996	3399
WAV 0995060008	600	995	8	1085	30-50	85-105	12.4	1.2	С	1328	4533
WAV 1245060010	600	1245	10	1335	30-50	85-105	15.5	1.6	С	1660	5666

Please add finishing code at the end of the product code

Code example: WAV 0370180003 PLS

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 125) - 5 mm

n = number of sections

Max. working pressure

10 bar

Max. working temperature

95 °C

Connections

1/2"

Section width

120 mm

Section depth Pipe center

72 mm C1 W + 90 mm



ELVINO

W

C1



Material Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

5 Years

Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			1399	`C1´	A (mm)	D (mm)	(kg)	(It)		Watts	вти
ELV 0370180003	1800	370	3	460	30-50	85-105	17,9	1.4	С	1654	5644
ELV 0495180004	1800	495	4	585	30-50	85-105	23,8	1.9	С	2205	7523
ELV 0745060006	600	745	6	835	30-50	85-105	11,9	0,9	С	1281	4371
ELV 0995060008	600	995	8	1085	30-50	85-105	15,9	1,2	С	1708	5828
ELV 1245060010	600	1245	10	1335	30-50	85-105	19,9	1,6	С	2135	7285

ELV 1245060010 Please add finishing code at the end of the product code

Code example : ELV 0370180003 TXB

Fuel type i.e

C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

1/2"

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 125) - 5 mm to order sizes

n = number of sections

Max. working pressure

10 bar Max. working temperature 95 °C


Connections

Section width 120 mm Section depth 70 mm

Pipe center C1 W + 90 mm









Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation 5 Years

Horizontal

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
		vv	n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
ELF 0995030008	300	995	8	1085	30-50	85-105	6.0	0.9	С	1708	5828
ELF 1245030010	300	1245	10	1335	30-50	85-105	8.0	1.1	С	2135	7285

Please add finishing code at the end of the product code

Code example : ELF 0995030008 TXW

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 125) - 5 mm

n = number of sections

Max. working pressure

10 bar

Max. working temperature Connections

95 °C 1/2"

Section width


120 mm

Section depth


70 mm

Pipe center

W + 90 mm C1







SKULLY

Material Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

5 Years

Vertical


PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			<i>!!</i> //	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
SKU 0470180005	1800	470	5	560	30-50	120-140	17.0	2.5	С	1911	6521


Please add finishing code at the end of the product code

Code example: SKU 0470180005 TXB

Fuel type i.e, C: Central heating

E: Electrical heating D: Dual heating (C+E)







Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section depth 48 mm Pipe center C1 W + 90 mm



Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat (Outputs
				`C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
MOT 0390180005	1800	390	5	480	30-50	90-110	14.6	2.9	С	2148	7328
MOT 0550180007	1800	550	7	640	30-50	90-110	20.4	4	С	3006	10258
MOT 0630060008	600	630	8	720	30-50	90-110	7.8	1.5	С	1146	3910
MOT 0950060012	600	950	12	1040	30-50	90-110	11.7	2.3	С	1717	5860

Please add finishing code at the end of the product code

Code example: MOT 0630060008 TXA

Fuel type i.e

C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 80) - 10 mm to order sizes


n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C

Connections 1/2" Section width 70 mm

Section depth 75 mm

Pipe center C1 W + 90 mm



Material

Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161


Guarantee Installation

Vertical 5 Years Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	Outputs
			n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
MOC 0280180003	1800	280	3	370	55	97	11.8	1.4	С	1706	5822
MOC 0375180004	1800	375	4	465	55	97	15.5	1.9	С	2275	7763
MOC 0470180005	1800	470	5	560	55	97	19.3	2.4	С	2844	9704
MOC 0565180006	1800	565	6	655	55	97	23.0	2.9	С	3413	11644
MOC 0470060005	600	470	5	560	55	97	7.5	0.8	С	1008	3439
MOC 0660060007	600	660	7	750	55	97	10.3	1.1	С	1411	4815
MOC 0850060009	600	850	9	940	55	97	13.1	1.4	С	1814	6191
MOC 1040060011	600	1040	11	1130	55	97	15.9	1.8	С	2217	7566
MOC 1230060013	600	1230	13	1320	55	97	18.7	2.1	С	2621	8942

Please add finishing code at the end of the product code

Code example : MOC 0850060009 TXW



Fuel type i.e. C: Central heating E: Electrical heating D: Dual heating (C+E)

W + 90 mm

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 95) - 5 mm to order sizes

n = number of sections

Pipe center

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 90 mm Section depth 80 mm

178



Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	Outputs
			ij	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
MOD 0280180003	1800	280	3	370	55	97	11.8	1.4	С	1706	5822
MOD 0375180004	1800	375	4	465	55	97	15.5	1.9	С	2275	7763
MOD 0470180005	1800	470	5	560	55	97	19.3	2.4	С	2844	9704
MOD 0565180006	1800	565	6	655	55	97	23.0	2.9	С	3413	11644
MOD 0470060005	600	470	5	560	55	97	7.5	0.8	С	1008	3439
MOD 0660060007	600	660	7	750	55	97	10.3	1.1	С	1411	4815
MOD 0850060009	600	850	9	940	55	97	13.1	1.4	С	1814	6191
MOD 1040060011	600	1040	11	1130	55	97	15.9	1.8	С	2217	7566
MOD 1230060013	600	1230	13	1320	55	97	18.7	2.1	С	2621	8942

Please add finishing code at the end of the product code

Code example: MOD 0375180004 TXA

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 95) - 5 mm to order sizes

n = number of sections

Max. working pressure

Max. working temperature 95 °C

Connections

1/2" Section width 90 mm

Section depth

80 mm

10 bar

Pipe center

C1 W + 90 mm



Material

Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161


5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	Outputs
			90	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
MOS 0280180003	1800	280	3	370	55	97	11.8	1.4	С	1706	5822
MOS 0375180004	1800	375	4	465	55	97	15.5	1.9	С	2275	7763
MOS 0470180005	1800	470	5	560	55	97	19.3	2.4	С	2844	9704
MOS 0565180006	1800	565	6	655	55	97	23.0	2.9	С	3413	11644
MOS 0470060005	600	470	5	560	55	97	7.5	0.8	С	1008	3439
MOS 0660060007	600	660	7	750	55	97	10.3	1.1	С	1411	4815
MOS 0850060009	600	850	9	940	55	97	13.1	1.4	С	1814	6191
MOS 1040060011	600	1040	11	1130	55	97	15.9	1.8	С	2217	7566
MOS 1230060013	600	1230	13	1320	55	97	18.7	2.1	С	2621	8942

Please add finishing code at the end of the product code

Code example: MOS 0375180004 TXW



Fuel type i.e C: Central Heating

E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 95) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2"

Section width 90 mm Section depth 80 mm

Pipe center C1 W + 90 mm



Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
SLM 0280180003	1800	280	3	370	30-50	60-80	6.9	1.5	С	1252	4273
SLM 0375180004	1800	375	4	465	30-50	60-80	9.2	2.0	С	1670	5698
SLM 0470180005	1800	470	5	560	30-50	60-80	11.5	2.5	С	2087	7122
SLM 0470060005	600	470	5	560	30-50	60-80	4.5	0.7	С	846	2886
SLM 0660060007	600	660	7	750	30-50	60-80	6.3	1.1	С	1184	4040
SLM 0850060009	600	850	9	940	30-50	60-80	8.1	1.4	С	1522	5194
SLM 1040060011	600	1040	11	1130	30-50	60-80	9.9	1.7	С	1862	6353
SLM 1230060013	600	1230	13	1320	30-50	60-80	11.8	2.1	С	2200	7507
Discourse and Halables and a								Eugl tune	La C. Conte	al bastina	

Code example: SLM 0375180004 TXG

Fuel type i.e. C: Central heating E: Electrical heating D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details. Radiator width for made

to order sizes (n x 95) - 5 mm

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2"

Section width


90 mm 46 mm

Section depth Pipe center

C1 W + 90 mm







JUNE

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation

5 Years

Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	Outputs
			Ü	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
DNE 0280180003	1800	280	3	370	30-50	60-80	6.9	1.5	С	986	3364
DNE 0375180004	1800	375	4	465	30-50	60-80	9.2	2.0	С	1509	5149
DNE 0470180005	1800	470	5	560	30-50	60-80	11.5	2.5	С	1911	6521
DNE 0470060005	600	470	5	560	30-50	60-80	4.5	1.0	С	965	3292
DNE 0660060007	600	660	7	750	30-50	60-80	6.4	1.1	С	1351	4609
DNE 0850060009	600	850	9	940	30-50	60-80	8.3	1.4	С	1737	5925
DNE 1040060011	600	1040	11	1130	30-50	60-80	10.1	1.7	С	2122	7241
DNE 1230060013	600	1230	13	1320	30-50	60-80	11.9	2.1	С	2508	8557

Please add finishing code at the end of the product code Code example : DNE 0375180004 TXB

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E) A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 95) - 5 mm to order sizes

n = number of sections

Pipe center

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2"

Section width 90 mm Section depth 46 mm

C1 W + 90 mm







Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
24	0.00	1110911		`C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
FOR 0295180004	1800	295	4	385	55	84	8.0	1.3	С	941	3208
FOR 0370180005	1800	370	5	460	55	84	9.8	1.7	С	1176	4010
FOR 0445180006	1800	445	6	535	55	84	11.5	2.0	С	1411	4811
FOR 0595060008	600	595	8	685	55	84	6.6	1.0	С	1200	4092
FOR 0895060012	600	895	12	985	55	84	9.4	1.5	С	1794	6117
FOR 1195060016	600	1195	16	1285	55	84	12.2	2.0	С	2392	8157

Please add finishing code at the end of the product code

Code example: FOR 0295180004 TXW

Fuel type i.e, C: Central heating E: Electrical heating D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 75) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar

Max. working temperature 95 °C Connections 1/2"

Section width 70 mm Section depth 60 mm

Pipe center C1 W + 90 mm



Material Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation 5 Years

Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	33.5.	12.7	300	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
SPA 0125180002	1800	125	2	215	30-50	145-165	9.7	1.3	С	905	3087
SPA 0255180004	1800	255	4	345	30-50	145-165	19.0	2.6	С	1817	6201
SPA 0385060006	600	385	6	475	30-50	145-165	10.6	1.3	С	900	3071
SPA 0515060008	600	515	8	605	30-50	145-165	14.1	1.7	С	1206	4116
SPA 0645060010	600	645	10	735	30-50	145-165	17.5	2.1	С	1508	5145
SPA 0775060012	600	775	12	865	30-50	145-165	21.0	2.5	С	1810	6174

Please add finishing code at the end of the product code

Code example : SPA 0125180002 TXW

Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 65) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C connections 1/2" Section width 60 mm Section depth 125 mm

Pipe center C1 W + 90 mm



Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee 5 Years

Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	Dutputs
			255	`C1´	A(mm)	D(mm)	(kg)	(It)		Watts	вти
MAG 0370180003	1800	370	3	460	55	82	10,6	1,7	С	850	2900
MAG 0495180004	1800	495	4	585	55	82	14,2	2,3	С	1133	3867
MAG 0745060006	600	745	6	835	55	82	7,8	1,2	С	610	2080
MAG 0995060008	600	995	8	1085	55	82	10,3	1,7	С	813	2773
MAG 1245060010	600	1245	10	1335	55	82	12,9	2,1	С	1016	3467

Code example: MAG 0370180003 TXB

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 125) - 5mm

n = number of sections

Max. working pressure

10 bar

Max. working temperature

95 °C

Connections

1/2"

Section width

120 mm

Section depth

39 mm

Pipe center

C1 W+90



PIPETTE

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years


Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	utputs
<u> </u>			n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
PIP 0280180003	1800	280	3	370	30-50	65-85	9,9	1.7	С	855	2917
PIP 0375180004	1800	375	4	465	30-50	65-85	13,1	2,3	С	1140	3890
PIP 0470180005	1800	470	5	560	30-50	65-85	21,9	3,9	С	1425	4862
PIP 0660060007	600	660	7	750	30-50	65-85	8,1	1,4	С	754	2572
PIP 0850060009	600	850	9	940	30-50	65-85	10,5	1.8	С	969	3306
PIP 1040060011	600	1040	11	1130	30-50	65-85	12,8	2,2	С	1184	4041
PIP 1230060013	600	1230	13	1320	30-50	65-85	15,1	2,6	С	1400	4776

Please add finishing code at the end of the product code

Code example: PIP 0375180004 TXW







C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 95) - 5 mm

46 mm

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C

1/2" Section width 90 mm Section depth

Pipe center W + 90 mm



Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	Dutputs
			(11)	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
BUR 0280180003	1800	280	3	50	30-50	83-103	7.1	1.5	С	1365	4658
BUR 0375180004	1800	375	4	50	30-50	83-103	9.5	2.0	С	1794	6120
BUR 0470180005	1800	470	5	50	30-50	83-103	11.8	2.5	С	2190	7474
BUR 0660060007	600	660	7	50	30-50	83-103	6.9	1.1	С	1271	4338
BUR 0850060009	600	850	9	50	30-50	83-103	8.4	1.4	С	1638	5589
BUR 1040060011	600	1040	11	50	30-50	83-103	10.4	1.7	С	1976	6743
BUR 1230060013	600	1230	13	50	30-50	83-103	12.4	2.1	С	2333	7962

Please add finishing code at the end of the product code

Code example : BUR 0850060009 TXA

B

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

(n x 95) - 5 mm to order sizes

n = number of sections

Max. working pressure

10 bar

Max. working temperature

95 °C

Connections

1/2"

Section width

90 mm

Section depth

64 mm

Pipe center

C1 50 mm



Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 5 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE I	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			.0.	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
BUC 0375180004	1800	375	4	465	30-50	83-103	9.6	2.0	С	1688	5760
BUC 0565180006	1800	565	6	655	30-50	83-103	14.5	3.0	С	2728	9307
BUR 0375160004	1600	375	4	465	30-50	83-103	8.5	1.8	С	1500	5120
BUC 0565160006	1600	565	6	655	30-50	83-103	12.9	2.7	С	2425	8273

Please add finishing code at the end of the product code

ÇÎ C1 W

Code example: BUR 0375160004 TXA

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made


(n x 95) - 5 mm to order sizes


n = number of sections

Max. working pressure 10 bar 95 °C Max. working temperature

Connections 1/2" Section width 95 mm Section depth 63 mm

Pipe center C1 W + 90 mm









Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161 5 Years

Guarantee Installation Vertical

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	utputs
				`C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
BUS 0375180004	1800	375	4	50	30-50	83-103	10	2.0	С	1914	6532
BUS 0470180005	1800	470	5	50	30-50	83-103	12.4	2.5	С	2393	8164
BUS 0565180006	1800	565	6	50	30-50	83-103	14.9	3.0	С	2871	9797
BUS 0850060009	600	850	9	50	30-50	83-103	8.8	1.4	С	1748	5965
BUS 1040060011	600	1040	11	50	30-50	83-103	10.8	1.7	С	2137	7291
BUS 1230060013	600	1230	13	50	30-50	83-103	12.7	2.1	С	2525	8616

Please add finishing code at the end of the product code
Code example: BUR 0375180004 TXA

Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made


(n x 95) - 5 mm to order sizes

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2"

Section width 90 mm Section depth

64 mm Pipe center C1 50 mm



CURVY

Material Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee

Installation Vertical 5 Years Horizontal

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat Outp	outs
	***	VV	n	C1	A(mm)	D(mm)	(kg)	(It)		Watts	вти
CUR 0245180002	1800	245	2	50	40	90	8.2	1.2	С	794	2709
CUR 0370180003	1800	370	3	50	55	105	12.4	1.7	С	1191	4064
CUR 0495180004	1800	495	4	50	55	105	15.8	2.3	С	1471	5019
CUR 0620180005	1800	620	5	50	55	105	19.8	2.9	С	1839	6274
CUR 0745060006	600	745	6	50	55	105	7.9	1.2	С	2207	7529
CUR 0995060008	600	995	8	50	55	105	10.6	1.5	С	2942	10038
CUR 1245060010	600	1245	10	50	55	105	13.2	1.9	С	3678	12548
								enci incom	0.0	COLD PRODUCTION	

Please add finishing code at the end of the product code

Code example : CUR 0620180005 TXW

Fuel type i.e

C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

(n x 125) - 5mm

10 bar

95 °C

1/2"

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

n = number of sections

Max. working pressure

Max. working temperature Connections

Section width 120 mm

Section depth 70 mm 50 mm Pipe center C1













JACOBS

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation 5 Years

Vertical

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	Outputs
	н	VV	n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
JAW 0535200012	2000	535	12	515	67-87	111-131	12,3	1.8	D	889	3033
JAF 0535200012	2000	535	12	50-465	157	236	12,3	1.8	С	889	3033

Please add finishing code at the end of the product code

Code example: JAC 0535200012 TXA


Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 27 mm Section depth 62 mm



ELVINO BATH

Material

Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee

Installation

Vertical 5 Years

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	outputs
02	4.4.	n w	vv. n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
ELB 0370080003	800	370	3	460	30-50	142-162	3.3	0.4	С	722	2464

Please add finishing code at the end of the product code

Code example: ELB 0370080003 TXW

Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 125) - 5 mm


n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C

Connections 1/2" Section width

120 mm Section depth 70 mm

Pipe center C1 W + 90 mm





Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	н	¥1.50.0		`C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
EBM 0370180003	1800	370	3	460	30-50	142-162	17.9	1.4	D	1577	5381

Please add finishing code at the end of the product code

I

Q

C1

Code example: EBM 0370180003 PLS

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E) A full range of made to order sizes available.

Please ask for details.

Radiator width for made

to order sizes

(n x 125) - 5 mm

n = number of sections

Max. working pressure

10 bar

Max. working temperature Connections

1/2"

Section width

120 mm


95 °C

Section depth

74 mm

Pipe center

C1 W + 90 mm



NIXIE BATH Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee

Installation

Vertical 5 Years

	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	333	**	n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
NXB 0205120002	1200	205	2	50/295	30-50	135-155	6.5	0.9	D	603	2058
NXB 0205150002	1500	205	2	50/295	30-50	135-155	8.1	1.1	D	754	2573
NXB 0205180002	1800	205	2	50/295	30-50	135-155	9.7	1.3	D	905	3087

Please add finishing code at the end of the product code

Code example: NXB 0205150002 TXB

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

Bespoke height is possible.

Please ask for details.

n = number of sections

Max. working pressure

Max. working temperature 95 °C 1/2"

Connections Section width

100 mm

10 bar


90 mm

Section depth

50 mm C1

Pipe center

W + 90 mm C1





Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 5 Years

Guarantee Installation Vertical

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat C	utputs
	n.	VV.	n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
EPB 0500079006	790	500	6	475	57-77	91-111	5.2	1.0	D	524	1787
EPB 0500119008	1190	500	8	475	57-77	91-111	7.1	1.5	D	698	2383
EPB 0500159010	1590	500	10	475	57-77	91-111	9.1	2.0	D	873	2979

Please add finishing code at the end of the product code

Code example: EPB 0500159010 PLS


Fuel type i.e, C: Central heating E: Electrical heating D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 75 mm Section depth 46 mm Pipe center C1 W - 25 mm



FAME

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Vertical


PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	***			C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
FME 0500070010	700	500	10	475	79-99	93-113	4.3	1.3	D	746	2546
FME 0500122015	1220	500	15	475	79-99	93-113	7.1	1.9	D	1121	3824
FME 0500146019	1460	500	19	475	79-99	93-113	8.7	2.4	D	1419	4842
FME 0500174022	1740	500	22	475	79-99	93-113	10.2	2.9	D	1643	5606

Please add finishing code at the end of the product code


Code example: FME 0500146019 TXB

Fuel type i.e, C: Central heating
E: Electrical heating
D: Dual heating (C+E)

A full range of made to order sizes available. Please ask for details.







n = number of sections Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 27 mm Section depth 28 mm Pipe center C1 W - 25 mm



Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Horizontal

Wall to pipe Heat Outputs PRODUCT CODE Height Width Wall Fuel Sections Pipe Nett Water Centers Centers Distance Weight Content (mm) (mm) Туре H W (mm) n A (mm) D (mm) (kg) C1 (It) Watts BTU FME 100040006 400 1000 6 975 79-99 93-113 5.1 1.5 C 460 1571

Please add finishing code at the end of the product code
Code example : FME 100040006 PLS

Fuel type i.e.

C: Central heating E: Electrical heating D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections


Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" 27 mm

Section width Section depth


28 mm

Pipe center

C1 W - 25 mm



W



FRAME

Material

Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation

Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	1100	1000		C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
FRM 0500074008	740	500	8	475	79-99	93-113	3.9	1.1	D	651	2221
FRM 0500100811	1008	500	11	475	79-99	93-113	6.7	1.6	D	984	3358
FRM 0500127614	1276	500	14	475	79-99	93-113	7.2	2.1	D	1127	3845
FRM 0500154417	1544	500	17	475	79-99	93-113	8.4	2.7	D	1333	4549
FRM 0500181220	1812	500	20	475	79-99	93-113	9.6	3.2	D	1595	5443

Please add finishing code at the end of the product code

Code example: FRM 0500181220 TXB


Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)


A full range of made to order sizes available.


Please ask for details.

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 27 mm Section depth 28 mm Pipe center C1 W-25 mm









Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation 5 Years

Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			n	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
MAY 0500084004	840	500	4	475	79-99	93-113	3.7	1.0	D	298	1018
MAY 0500120006	1200	500	6	475	79-99	93-113	5.9	1.4	D	448	1527
MAY 0500156008	1560	500	8	475	79-99	93-113	6.5	1.9	D	597	2036
MAY 0500192010	1920	500	10	475	79-99	93-113	8.4	2.8	D	746	2546

Please add finishing code at the end of the product code

Code example: MAY 0500120006 TXB

Fuel type i.e, C: Central heating E: Electrical heating D: Dual heating (C+E)


A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 27 mm Section depth 28 mm

Pipe center C1 W - 25 mm




UNICO

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation Vertical 5 Years

PRODUCT CODE F	(mm)	Width (mm)	Sections	Pipe Centers	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	Н	W	n	(mm) C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
UNI 0500085212	852	500	12	50	66-86	109-129	8	1.2	D	638	2177
UNI 0500129618	1296	500	18	50	66-86	109-129	12	1.8	D	957	3266
UNI 0500174024	1740	500	24	50	66-86	109-129	16	2.4	D	1276	4354

Code example: UNI 0500129618 TXB



Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E) A full range of made to order sizes available.

Please ask for details. n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 27 mm Section depth 61 mm Pipe center C1 50 mm

TERRA

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation 5 Years

Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
TEB 0500005040		10 TOOL 1000	812	C1	A (mm)	D (mm)	(kg)	(It)		Watts	BTU
TER 0500085212	852	500	12	50	66-86	109-129	8	1.2	D	638	2177
TER 0500129618	1296	500	18	50	66-86	109-129	12	1.8	D	957	3266
TER 0500174024	1740	500	24	50	66-86	109-129	16	2.4	D	1276	4354

Please add finishing code at the end of the product code

Code example: TER 0500174024 TXB


Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 27 mm Section depth 61 mm Pipe center C1 50 mm





BARON

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation 5 Years

Vertical

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
_	1.0.	***	ņ	C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
BRN 0500072009	720	500	9	400	50-70	92-112	5.9	1.3	D	603	2058
BRN 0500100012	1000	500	12	400	50-70	92-112	7.9	1.7	D	804	2744

Code example : BRN 0500072009 PLS


Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)


A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 27 mm Section depth 56 mm Pipe center C1 W - 100 mm





II-IXALA

Material Aluminium Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

5 Years

Guarantee Installation Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			300	C1	A (mm)	D (mm)	(kg)	(It)		Watts	BTU
AJA 0600045001	450	600	1	425	79-99	120-140	3.1	0.6	С	190	650
AJA 0600045002	450	600	2	425	79-99	120-140	3.5	0.7	С	238	812

Please add finishing code at the end of the product code

Code example : AJA 0600045001 PLS

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections


Max. working pressure


10 bar Max. working temperature 95 °C 1/2"

Connections Section width


27 mm Section depth 55 mm

Pipe center C1 W - 175 mm











IXALA









Material

Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee Installation 5 Years Vertical

PRODUCT CODE	(mm)	Width (mm)	Sections	Pipe Centers	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat Ou	utputs
	Н	W	n	(mm) C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
SOH 0500071506	715	500	6	475	78-93	93-108	3.9	0.9	D	394	1344
SOH 0500122511	1225	500	11	475	78-93	93-108	6.7	1.7	D	722	2464
SOH 0500148013	1480	500	13	475	78-93	93-108	7.9	2.0	D	854	2912
SOH 0500173515	1735	500	15	475	78-93	93-108	9.2	2.3	D	985	3360

Please add finishing code at the end of the product code

Code example: SOH 0500148013 PLS

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.


n = number of sections

Max. working pressure


10 bar Max. working temperature 95 °C Connections 1/2"

Section width 70 mm Section depth 32 mm

Pipe center C1 W - 25 mm











Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee

Installation

5 Years Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
				`C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
LRA 0300080012	800	300	12	270	90-110	107-122	3.6	1.0	D	571	1950
LRA 0300102016	1020	300	16	270	90-110	107-122	4.8	1.3	D	762	2600
LRA 0300120019	1200	300	19	270	90-110	107-122	5.7	1.5	D	905	3087
LRA 0300140022	1400	300	22	270	90-110	107-122	6.6	1.8	D	1048	3575
LRA 0500080012	800	500	12	470	90-110	107-122	6.0	1.2	D	762	2600
LRA 0500102016	1020	500	16	470	90-110	107-122	8.0	1.6	D	1016	3466
LRA 0500120019	1200	500	19	470	90-110	107-122	9.5	1.9	D	1206	4116
LRA 0500140022	1400	500	22	470	90-110	107-122	11.0	2.2	D	1397	4766
LRA 0500180029	1800	500	29	470	90-110	107-122	14.5	2.9	D	1841	6283

Please add finishing code at the end of the product code

I

Code example: LRA 0500080012 TXB

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details. n = number of sections

Max. working pressure

Max. working temperature Connections

Section width Section depth

33 mm

Pipe center

C1 W - 30 mm

10 bar

95 °C

1/2"

27 mm



Material Aluminium Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

5 Years Vertical

BATH

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
	***			`C1	A(mm)	D(mm)	(kg)	(It)		Watts	вти
CUB 0245100002	1000	245	2	50	40	90	4.6	0.5	С	455	1553
CUB 0245150002	1500	245	2	50	40	90	6.9	1.0	С	683	2329
CUB 0245180002	1800	245	2	50	40	90	8.2	1.2	С	793	2706
CUB 0245200002	2000	245	2	50	40	90	9.2	1.3	С	910	3105

Please add finishing code at the end of the product code


Code example : CUB 0245150002 TXLG

Fuel type i.e C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)

Bespoke height is possible.

Please ask for details. n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 120 mm Section depth 70 mm C1 50 mm Pipe center





Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee 5 Years

Installation Vertical

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
		••	n	C1	A(mm)	D (mm)	(kg)	(It)		Watts	вти
PAB 0245100002	1000	245	2	50	40	113	4.6	0.5	С	455	1553
PAB 0245150002	1500	245	2	50	40	113	6.9	1.0	С	683	2329
PAB 0245180002	1800	245	2	50	40	113	8.2	1.2	С	793	2706
PAB 0245200002	2000	245	2	50	40	113	9.2	1.3	С	910	3105
Division and distriction and								Eugl tupo i o	C. Contr	al Heating	

Code example : PAB 0245150002 TXLG at the end of the product code

E: Electrical Heating

D: Dual Heating (C+E)

Bespoke height is possible.

Please ask for details.

n = number of sections

Max. working pressure 10 bar

Max. working temperature

95 °C

Connections


1/2" Section width 120 mm

Section depth

70 mm

Pipe center

C1 50 mm



NINOVA BATH

Material

Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee

5 Years

Installation Vertical

PRODUCT CODE Height Width Pipe Fuel **Heat Outputs** Sections Wall to pipe Wall Nett Water Centers Centers Distance Weight Content (mm) (mm) Type W (mm) n C1 A (mm) D (mm) (kg) BTU (It) Watts NIB 0500081005 810 500 5 475 72-92 7.2 0.8 D 444 1513 95-115 NIB 0500118007 1180 500 475 72-92 95-115 11.5 1.2 D 2270 665 72-92 95-115 NIB 0500155009 1550 500 9 475 15.6 1.7 D 887 3027 NIB 0500192011 1920 500 475 72-92 95-115 19 2.1 D 1109 3783 11

Please add finishing code at the end of the product code

Code example : NIB 0500070006 TXB


Fuel type i.e C: Central Heating E: Electrical Heating E: Electrical Heating D: Dual Heating (C+E)


A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working pressure 10 bar Max. working temperature 95 °C Connections 1/2" Section width 70 mm Section depth 36 mm Pipe center C1 W - 25 mm







Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee 5 Years

Installation Vertical

PRODUCT CODE	Height (mm) H	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat O	utputs
			5.5	`C1	A (mm)	D (mm)	(kg)	(It)		Watts	вти
ALB 0500081005	810	500	5	475	72-92	95-115	7.4	1.0	D	554	1892
ALB 0500118007	1180	500	7	475	72-92	95-115	11.9	1.3	D	832	2838
ALB 0500155009	1550	500	9	475	72-92	95-115	15.9	1.8	D	1109	3783
ALB 0500192011	1920	500	11	475	72-92	95-115	19.2	2.3	D	1386	4729

Please add finishing code at the end of the product code

I

Code example: ALB 0500081005 TXB

Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working pressure 10 bar 95 °C

Max. working temperature


Connections 1/5" 70 mm

Section width

Section depth 36 mm

Pipe center

C1 W - 25 mm



MACK BATH

2035

Material

Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

5 Years Vertical

PRODUCT CODE Height Width Sections Pipe Wall to pipe Wall Nett Water Fuel **Heat Outputs** (mm) W Centers Distance Weight Content (mm) Centers Туре (mm) n C1 A (mm) D (mm) (kg) Watts BTU (It) 6 475 7.8 D 499 MCB 0500070006 700 500 79-99 93-113 0.9 1703 MCB 0500114509 1145 500 9 475 79-99 93-113 12 1.3 D 748 2554 MCB 0500159012 1590 500 12 475 79-99 93-113 16.2 1.8 D 998 3405

79-99

Please add finishing code at the end of the product code

MCB 0500203515

500 Code example: MCB 0500203515 TXA

15

D Fuel type i.e,

C: Central heating E: Electrical heating D: Dual heating (C+E)

1247

A full range of made to order sizes available.

Please ask for details.

n = number of sections

2.2

Max. working pressure 10 bar

Max. working temperature Connections

1/2"

Section width

75 mm

4256

95 °C

Section depth

32 mm

Pipe center

20.4


93-113

C1 W - 25 mm










475





Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161 Guarantee

Installation

5 Years

Horizontal

PRODUCT CODE	Height (mm)	Width (mm) W	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat Ou	itputs			
	***	• • • • • • • • • • • • • • • • • • • •					n	C1	A (mm)	D (mm)	(kg)	(It)		Watts
MCB 1500050504	505	1500	4	1475	79-99	93-113	7.8	0.9	С	1027	3492			
MCB 1800050504	505	1800	4	1775	79-99	93-113	12	1.3	С	1233	4191			

Please add finishing code at the end of the product code

Code example : MCB 1500050504 TXA

Fuel type i.e, C: Central heating E: Electrical heating D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working pressure

Max. working temperature

Connections Section width

75 mm

Section depth Pipe center

32 mm C1 W - 25 mm

10 bar

95 °C

1/2"





Material

Aluminium

Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

2 Years

Vertical

PRODUCT CODE	Height (mm)	Width (mm)	Sections	Wall Distance	Nett Weight	Fuel Type	Heat Outputs
	н	W	n	D (mm)	(kg)		Watts
OTS 0075120001	1200	70	9	163-183	2.6	Е	293

Please add finishing code at the end of the product code

Code example: OTS 0075120001 TXB

Fuel type i.e C: Central Heating

E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working temperature


95 °C

Section width

75 mm


Section depth

70 mm











Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

2 Years Vertical

PRODUCT CODE	Height (mm)	Width (mm)	Sections	Wall Distance	Nett Weight	Fuel Type	Heat Outputs
	н	W	n	D (mm)	(kg)	540	Watts
VSB 0070120001	1200	70	1	158	2.4	E	308

Please add finishing code at the end of the product code
Code example: VSB 0075120001 TXB

Fuel type i.e C: Central Heating E: Electrical Heating D: Dual Heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections


Max. working temperature

Section width

Section depth

95 °C 70 mm

65 mm



Material NOTUS Z-ZS Aluminium

Stock Finishes

PLS SEE COLOUR KEY CHART, PAGE 161

Guarantee Installation

2 Years


Vertical Horizontal

PRODUCT CODE	Height (mm)	Width (mm)	Sections	Wall Distance	Nett Weight	Fuel Type	Heat Outputs
	Н	W	n	D (mm)	(kg)		Watts
NTZ 1800050005	1800	500	5	110-130	17.9	E	1500
NTZ 0600050005	600	500	5	110-130	6.8	E	600
NTZ 0600090009	600	900	9	110-130	10.2	E	1080
NTZ 0600130013	600	1300	13	110-130	14.8	E	1560
NZS 1800050005	1800	500	5	110-130	17.9	E	1500
NZS 0600050005	600	500	5	110-130	6.8	E	600
NZS 0600090009	600	900	9	110-130	10.2	E	1080
NZS 0600130013	600	1300	13	110-130	14.8	E	1560

Please add finishing code at the end of the product code

Code example: NTZ 1800050005 TXA

Fuel type i.e. C: Central heating
E: Electrical heating
D: Dual heating (C+E)





Max. working temperature

Section width

Section depth

95 °C 100 mm 50.5 mm










NOTUS V-VS Aluminium


Stock Finishes PLS SEE COLOUR KEY CHART, PAGE 161

2 Years

Guarantee Installation Vertical Horizontal

PRODUCT CODE	Height (mm)	Width (mm)	Sections	Wall Distance	Nett Weight	Fuel Type	Heat Outputs
	Н	W	n	D (mm)	(kg)		Watts
NTV 1800040004	1800	400	4	90-110	14.2	E	1200
NTV 0600060006	600	600	6	90-110	6.8	E	720
NTV 0600100010	600	1000	10	90-110	11.4	E	1200
NTV 0600140014	600	1400	14	90-110	15.9	E	1680
NVS 1800040004	1800	400	4	90-110	14.2	Ε	1200
NVS 0600060006	600	600	6	90-110	6.8	E	720
NVS 0600100010	600	1000	10	90-110	11.4	E	1200
NVS 0600140014	600	1400	14	90-110	15.9	Е	1680





Fuel type i.e. C: Central heating
E: Electrical heating
D: Dual heating (C+E)

A full range of made to order sizes available.

Please ask for details.

n = number of sections

Max. working temperature

Section width Section depth

95 °C 100 mm 50.5 mm

DEFINITIONS

DEFINITIONS

These Terms and Conditions apply to Carisa Radiators Ltd (company number 09708741) (VAT number 227388681) whose principal place of business is at Unit 5 Meridian Park, Neptune Close, Medway City Estate, Rochester Kent ME2 4LT 'Buyer' and 'you' means any entity engaging in a Contract, Order, or Agreement with Carisa Radiators Limited Contract, Order, or Agreement between the 'buyer' and Carisa Radiators Limited with regard to the sale of goods or the provision of service subject to these terms and conditions. Any Contract, Order, or Agreement requires Carisa Radiators Limited acceptance. 'Conditions' means the terms and conditions of contract set out in this document and any special terms and conditions additional to those set out herein agreed in writing by Carisa Radiators Ltd. 'Goods' means the articles which the buyer has agreed to purchase from Carisa Radiators Ltd. 'Price' means the price for the provision of services or the goods excluding carriage and VAT.

UNISES OTHERWISE agreed in writing by us, these conditions shall form part of any contract based on an acceptance of this offer and no conditions inconsistent therewith shall, unless expressly agreed in writing by us, be deemed to override or vary these conditions notwithstanding their being proffered by you at a date later than this offer. These conditions shall apply not only to the present transaction but to all future business between us except in such cases as the contrary is expressly agreed in writing between us. All technical data, physical dimensions, capacities and other properties and particulars including drawings are made in good faith as being approximately correct but deviation there from shall not vitiate the contract nor be made the basis of any claim against us.

LEGAL INTERPRETATION

The contract between ourselves and the buyer which is subject to these conditions is to be construed and to take effect as a contract made in England and in accordance with English law and any disputes arising there from shall be determined in the Courts of England or, at our discretion, shall be referred to a single mutually acceptable arbitrator in accordance with the provisions of the Arbitration Act currently in force.

All price quotations given by us are for the buyer's information only. All prices quoted are exclusive of VAT and carriage and any other duties which may become payable. All Quotations are to be regarded as "invitations to treat" only. Rates of VAT charged and other duties which may become payable and rates for carriage will be those current on the date of dispatch to the buyer irrespective of when the contract may have been formed.

All prices and terms quoted in our price list or catalogues etc. may be changed by us without notice. All orders are accepted for delivery at the price and on the terms ruling at the date of dispatch. Prices for goods quoted are for goods delivered to a buyer in mainland England and Wales. For all deliveries elsewhere or to remote areas in the UK extra delivery and packaging charges may apply. For all other areas, and for all exports, delivery charges are subject to quotation.

PAYMENT

Unless expressly agreed between us in writing otherwise, all sales are payable net cash with order. For agreed credit accounts our invoices are to be paid within 30 days from the date of the invoice and this time condition is of the essence of the contract. In the event that payment is not made in accordance with the agreed terms, either in full or otherwise, then the whole of the account whether due or not shall become payable and become overdue and be payable forthwith. Furthermore in the event of late or non-payment in accordance with these terms and conditions (or any other terms so agreed in writing), we reserve the right to rely on the Late Payment of Commercial Debts (Interest) Act 1998, as amended by the Late Payment of Commercial Debts Regulations 2002 and charge, at a daily rate, until payment, interest upon the debt then due at the rate prevailing at the date of default (currently 8% above the prevailing Bank of England base rate) together with the late payment charges set out in the Act, until payment or sooner settlement.

All goods sold by us whether delivered or installed or not shall remain our sole property until all payments due for the sale or supply of such goods have been paid to us. Until property in goods sold or supplied passes to the buyer the buyer shall be responsible for any damage suffered by the goods and shall take all steps necessary to keep the goods in good condition and repair and shall not improperly use the same and shall not improperly use the same and shall not do anything which may lead to the goods being seized by way of distress or any legal process and shall keep the goods comprehensively insured against all risks in their full price and that our interest as unpaid seller is properly recorded in the policy. Further, at all times whilst goods are in the buyer's possession but whilst the title remains vested in us, the buyer shall notify us immediately any defect arises in the condition of the goods and shall at all times allow us access to the goods for purposes of inspection and/or work to the goods and we shall be entitled (but not obliged) to carry out such work and render to the buyer such charges for such work as may be appropriate.

DELIVERY

Any date or period named by us for delivery is given in good faith as an estimate only. Whilst we will endeavor to dispatch within the period stated, such date or period is not to be of the essence of the contract, and the buyer shall be bound to accept the goods ordered when available. Unless we have specifically given an undertaking in writing with an agreed sum as liquidated damages for late delivery and the buyer has suffered loss due to our delay, we shall not be liable in any way in respect of late delivery however caused, and in any event any liability shall be strictly limited to the liquidated sum so specified. Customers within some remote rural areas should help the strictly times may be extended by up to 5 working days, or in some instances not be available. Scotish deliveries are sometimes restricted and deliveries to the following postcodes are subject to additional costs and in some cases not available at all: KW, IV, AB, DD, PH, PA. The various islands around the British Isless are also subject to similar restrictions and additional costs. Please contact Carisa Radiators to confirm costs at time of ordering. Where delivery is fixed by installments, such installments deliverable under the contract shall be deemed to be sold under separate contracts. Defective deliveries of one or more installments shall not entitle the buyer to repudiate the contract with regard to any installments remaining to be delivered to be sold under separate contracts. Defective deliveries of one or more installments shall not entitle the buyer to repudiate the contract with regard to any installments shall not entitle the buyer to repudiate the contract with regard to any installments shall not entitle the buyer to repudiate the contract with regard to any installments shall not entitle the buyer to repudiate the contract with regard to any installments shall not entitle the buyer to the goods and the proper shall not entitle the proper developed the proper shall be responsible to a shall be separated to any ins

WARRANTY

WARRANTY
Our liability in respect of any defect in or failure of the goods or for any loss injury or damage attributed thereto is limited to the cost of replacement of the goods only or the repairing of such defects which under proper use have appeared therein and arise solely from faulty design, materials or workmanship. Replacement goods are chargeable; credits will be applied where it is established that the warranty claim is valid. The period of warranty offered by us varies by product and/or related integrated components the buyer shall be entitled to the same guarantee that we have received and are able to enforce. Replacement parts will be delivered by us, to the buyer. The warranty period for any new replacement parts is limited to twelve months from the date of dispatch, or installation of the part, where said installation is carried out by our service personnel. Where faulty parts are returned to us as part of a warranty claim the original buyer must provide full details e.g. product details, and our original contract reference number along with the faulty part. Faulty goods shall not form the subject of any claim for labour costs or other expenditure incurred by the buyer and we shall not be responsible for any loss or damage arising out of any such fault. Only in exceptional circumstances, and by previous written agreement will we accept back for credit, items which have been supplied against orders or which have been manufactured in accordance with your specifications but have not yet been delivered, provided that the goods to be returned are new in original packaging and unused. Restocking charges will apply. We specifically do not accept liability for financial or consequential losses, expenses or damage occasioned by defects in manufacturing or arising from any other cause. The benefit of this warranty is given to the original buyer of the goods and is not assignable. Any goods supplied by us must be installed in accordance with the law and proof thereof shall be a pre-condition of our liability

CORROSION RESISTANCE

When commissioning the radiators on an closed heating system it is imperative that the appropriate and adequate inhibitor is introduced to the system to protect both your existing heating products and your new Carisa design products. A proprietary multi metal inhibitor will suffice in most cases but if you are in any doubt please seek professional advice, as incorrect or inadequate protection will render any and all warranties null and void. For aluminium products the Ph balance is critical to the longevity of the product and must be paint aimed at levels between 5.5 & 8.5. We reserve the right to conduct a water test to establish the level of protection provided.

BUYERS LIABILITY

Equipment is supplied only for the purpose for which it is specifically designed and which is clearly defined in the appropriate brochure or manual. We do not accept liability for damage or injury caused as a result of the equipment being used for any other purpose. In view of the many factors outside our control in respect of performance of equipment, the buyer is entirely responsible for the type of equipment purchased and for the capacity of the equipment to deal with the proposed application. We do not accept any liability for incorrect calculations incompatible designs or advice, which may result in the equipment, supplied not being suitable for the purpose for which it was purchased.

INTERPRETATION


All headings in this document are inserted for convenience and each of reference only and shall not affect the construction or interpretation of this contract. Any provision of this contract, which is or may be void or unenforceable shall to the extent of such invalidity or unenforceability be deemed severable and shall not affect any other provision in this contract. No waiver or forbearance by us whether express or implied in enforcing any of our rights under the contract shall prejudice our right to do so in the future. Save as otherwise provided in these Conditions nothing in these Conditions shall create any partnership joint venture or relationship of principal and agent between the parties. Except where expressly provided for in these Conditions time shall not be of the

NOTICES

Any Notice required to be given by either party or any account rendered by the Company to the buyer shall be deemed to have been given or rendered if dispatched by first class post and addressed to the buyer at the delivery address or to their respective last known business address or registered office and any such Notice or Account rendered shall be deemed to have been received 2 days after posting as aforesaid. In the alternative to the matters above any Notice required to be given by either party or any account rendered by the Company to the buyer shall be deemed to have been given or rendered if sent by facisimile transmission machine during business hours to the buyer at the facsimile number of the buyer or to the facsimile number at their respective last known business address or registered office and any such Notice or Account rendered shall be deemed to have been received if a facsimile transmission confirmation produced by such machine shows due and proper transmission.

The performance of all contracts is subject to variation or cancellation by us without notice owing to any Act of God, war, strikes, lock-outs, fire, flood, drought, tempest or any other cause beyond the control of our Company or owing to any inability of the Company to procure materials or articles required for the performance of the contract and we shall not be held responsible for any inability to deliver caused by any such contingency.

All Heat outputs are indicated at Δ T70 in compliance with BSEN 442. A list of correction factors is available in our specification pages to calculate the heat outputs in a range of regimes.



Carisa - Turkey

Feneryolu Mahallesi Bağdat Caddesi No:126/A Kadıköy / İstanbul - TÜRKİYE +90 444 6 586 www.carisa.com.tr info@carisa.com.tr

Carisa - Russia

Syromyatnicheskaya Nijnyaya Street 10 Building 7.1st Floor, 1st Section, Office 14/15 Moscow - RUSSIA +7 (915) 125 10 68 www.carisa.ru info@carisa.ru

Carisa - United Kingdom

Unit 5 Meridian Park, Neptune Close, Medway City Estate, Rochester KENT, ME2 4LT UNITED KINGDOM +44 (0)1634 711577 www.carisa.co.uk info@carisa.co.uk